

# RELIABLE AUTOMATION FOR EVERY SWING GATE



Our SNBDC series swing gate openers deliver powerful, quiet, and intelligent performance. All models operate on safe 24V DC openers voltage with 220V input, making them ideal for Indian homes and conditions.

- ✓ **SOFT START & SOFT STOP** – Prevents gate jerking and reduces wear
- ✓ **OBSTACLE DETECTION** – Automatic reverse when meeting obstructions
- ✓ **REMOTE CONTROL** – Up to 50 meters range
- ✓ **LED INDICATOR** – Visual running status (on DCK680)
- ✓ **GROUND TOLERANCE** – Handles uneven surfaces up to 7-10 cm
- ✓ **EASY INSTALLATION** – Articulated arm design suits most pillar configurations
- ✓ **ENERGY EFFICIENT** – Low voltage DC system



★ **ALL MODELS ARE SUITABLE FOR SINGLE-LEAF OR DOUBLE-LEAF SWING GATES.**

# SWING ROLLER OPENER



SNBDC 1000/1500



SNBDC 500

Feature	SNBDC500	SNBDC1000	SNBDC1500
Push Force	500N	1000N	1500N
Max Gate Weight (per leaf)	500 kg	Heavy-duty (recommended)	Very Heavy-duty
Ground Unevenness Tolerance	7 cm	10 cm	10 cm
Input Voltage	220V AC	220V AC	220V AC
Opener Voltage	DC 24V	DC 24V	DC 24V
Remote Distance	~50 m	~50 m	~50 m
Soft Start & Stop	Yes	Yes	Yes
Automatic Reverse	Yes	Yes	Yes
Best For	Light residential gates	Medium-heavy gates	Large & heavy gates


# SWING ROLLER OPENER



Ultra Quiet



Obstacle Detection



Long-life DC  
Opener



No Heat



## ADVANTAGES



**Effortless Convenience:** Open and close your gate from the comfort of your car with a remote control (up to 50m range). No need to step out in rain, traffic, or at night.



**Advanced Safety:** Features soft start & soft stop along with automatic reverse on obstruction, protecting vehicles, children, and pets from accidents.



**Quiet & Smooth Operation:** DC 24V openers deliver silent and gentle gate movement, perfect for peaceful residential areas.



**Handles Uneven Ground:** Tolerates ground unevenness up to 7–10 cm, making it suitable for most Indian driveways and outdoor conditions.



**Low Maintenance & Durable:** Strong push force (500N–1500N) ensures long-lasting performance with minimal upkeep.

## Convenience, Security & Elegance For Modern Entrances

### APPLICATIONS

Residential  
Villas/Homes

Farmhouses &  
Independent Houses

Gated Communities  
& Townships

Light Commercial  
Properties

Heritage &  
Modern Homes

### INSTALLATION & MAINTENANCE

#### **SIMPLE INSTALLATION:**

No floor track required. Openers are fixed on pillars with articulated arms connected to the gate.

#### **FLEXIBLE DESIGN:**

Suitable for most pillar sizes and gate types (wrought iron, aluminum, wood).

#### **QUICK SETUP:**

Professional installation usually completed in one day.

#### **LOW MAINTENANCE:**

Robust build and quality components reduce the need for frequent servicing.

#### **SAFETY FIRST:**

Includes manual release lever for emergency use during power cuts.

Smart automation is not an upgrade,  
it's an investment in efficiency.